



2016

Provisional Data Report on Childhood Lead Testing and Elevated Levels: Michigan

Please note: These data are provisional, and may not match numbers in the final 2016 data report when it is published.

Updated July 19, 2017

Division of Environmental Health

Michigan Department of Health and Human Services

Table 1. Blood Lead Levels for Children under 6 Years of Age by County, 2016, data suppressed*

Table column header:

All Blood Samples [†]			Capillary [†] Samples		Venous Samples					
Tested	≥ 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL		
	N	%	N	%	N	%	N	N	%	
"	"	"	"	"	"	"	"	"	"	"

Column Group Name	Column Section Name	Column Name	Contents
All Blood Samples[†]		Tested	Number of children that received a blood lead test in calendar year 2016, including all types of blood samples (capillary, venous, or unknown)
	≥ 5 µg/dL	N	Number of children with elevated blood lead level (EBLL: blood lead tests > 5 µg/dL) tests, including all types of samples (capillary, venous, or unknown)
		%	Percentage of children with elevated blood lead tests, including all types of samples (capillary, venous, or unknown)
Capillary[†] Samples	≥ 5 µg/dL	N	Number of children with EBLL (blood lead tests > 5 µg/dL) capillary or unknown blood sample test results, with no confirmatory venous blood test
		%	Percentage of all children tested with EBLL capillary or unknown blood test results
Venous Samples	≥ 5 µg/dL	N	Number of children with EBLL (blood lead tests > 5 µg/dL) venous blood test results
		%	Percentage of all children tested with EBLL venous blood tests
	5-14 µg/dL	N	Number of children with venous blood lead tests between 5 and 14 µg/dL
	> 15 µg/dL	N	Number of children with venous blood lead test results 15 µg/dL and above
		%	Percentage of all children tested with venous blood lead test results 15 µg/dL and above

Table 1. Blood Lead Levels for Children under 6 Years of Age by County, 2016, data suppressed[†]

CHILDREN UNDER 6 County	All Blood Samples*			Capillary Samples*		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
ALCONA	93	*	*	*	*	*	*	*	0	-
ALGER	65	0	-	0	-	0	-	0	0	-
ALLEGAN	1,583	40	2.5	24	1.5	16	1.0	*	*	*
ALPENA	348	6	1.7	*	*	*	*	*	*	*
ANTRIM	322	*	*	*	*	*	*	*	0	-
ARENAC	265	*	*	*	*	*	*	*	0	-
BARAGA	147	*	*	*	*	0	-	0	0	-
BARRY	466	16	3.4	7	1.5	9	1.9	*	*	*
BAY	1,492	50	3.4	34	2.3	16	1.1	16	0	-
BENZIE	282	7	2.5	*	*	*	*	*	0	-
BERRIEN	2,166	76	3.5	41	1.9	35	1.6	29	6	0.3
BRANCH	672	26	3.9	14	2.1	12	1.8	*	*	*
CALHOUN	2,735	174	6.4	74	2.7	100	3.7	90	10	0.4
CASS	609	28	4.6	17	2.8	11	1.8	*	*	*
CHARLEVOIX	300	*	*	*	*	0	-	0	0	-
CHEBOYGAN	265	0	-	0	-	0	-	0	0	-
CHIPPEWA	348	8	2.3	*	*	*	*	*	0	-
CLARE	391	8	2.0	*	*	*	*	*	0	-
CLINTON	739	6	0.8	*	*	*	*	*	0	-
CRAWFORD	145	*	*	*	*	0	-	0	0	-
DELTA	414	13	3.1	8	1.9	*	*	*	0	-
DICKINSON	242	*	*	*	*	*	*	*	0	-
EATON	1,154	30	2.6	14	1.2	16	1.4	*	*	*
EMMET	332	*	*	*	*	*	*	*	0	-
GENESEE	11,703	210	1.8	64	0.5	146	1.2	126	20	0.2
GLADWIN	302	*	*	*	*	*	*	*	0	-
GOGEBIC	192	7	3.6	*	*	*	*	*	*	*
GRAND TRAVERSE	1,430	20	1.4	16	1.1	*	*	*	*	*
GRATIOT	513	11	2.1	9	1.8	*	*	*	0	-
HILLSDALE	888	42	4.7	27	3.0	15	1.7	*	*	*
HOUGHTON	562	21	3.7	*	*	16	2.8	16	0	-
HURON	409	*	*	*	*	*	*	*	0	-
INGHAM	4,712	123	2.6	52	1.1	71	1.5	63	8	0.2
IONIA	980	27	2.8	8	0.8	19	1.9	*	*	*
IOSCO	263	9	3.4	7	2.7	*	*	*	*	*
IRON	107	*	*	*	*	*	*	*	0	-
ISABELLA	610	*	*	*	*	*	*	*	0	-
JACKSON	2,879	218	7.6	142	4.9	76	2.6	69	7	0.2
KALAMAZOO	3,727	132	3.5	88	2.4	44	1.2	38	6	0.2
KALKASKA	241	8	3.3	*	*	*	*	*	0	-
KENT	9,984	617	6.2	412	4.1	205	2.1	176	29	0.3
KEWEENAW	33	0	-	0	-	0	-	0	0	-
LAKE	102	*	*	*	*	0	-	0	0	-
LAPEER	1,014	32	3.2	26	2.6	6	0.6	*	*	*
LEELANAU	279	13	4.7	10	3.6	*	*	*	0	-
LENAWEE	1,164	71	6.1	26	2.2	45	3.9	38	7	0.6
LIVINGSTON	1,030	11	1.1	6	0.6	*	*	*	*	*
LUCE	76	*	*	*	*	0	-	0	0	-
MACKINAC	107	*	*	*	*	0	-	0	0	-
MACOMB	11,769	99	0.8	57	0.5	42	0.4	*	*	*
MANISTEE	334	17	5.1	12	3.6	*	*	*	0	-
MARQUETTE	546	7	1.3	*	*	*	*	*	0	-
MASON	511	19	3.7	17	3.3	*	*	*	0	-
MECOSTA	381	8	2.1	*	*	*	*	*	*	*
MENOMINEE	254	8	3.1	*	*	*	*	*	*	*

Table 1. Blood Lead Levels for Children under 6 Years of Age by County, 2016, data suppressed[‡]

CHILDREN UNDER 6 County	All Blood Samples*			Capillary Samples*		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
MIDLAND	505	*	*	*	*	*	*	*	0	-
MISSAUKEE	117	0	-	0	-	0	-	0	0	-
MONROE	1,432	22	1.5	7	0.5	15	1.0	*	*	*
MONTCALM	833	15	1.8	9	1.1	6	0.7	*	*	*
MONTMORENCY	78	*	*	*	*	0	-	0	0	-
MUSKEGON	2,612	157	6.0	89	3.4	68	2.6	60	8	0.3
NEWAYGO	477	12	2.5	7	1.5	*	*	*	0	-
OAKLAND	15,882	196	1.2	108	0.7	88	0.6	82	6	0.0
OCEANA	477	13	2.7	9	1.9	*	*	*	0	-
OGEMAW	271	*	*	*	*	0	-	0	0	-
ONTONAGON	42	*	*	0	-	*	*	*	0	-
OSCEOLA	325	9	2.8	6	1.8	*	*	*	0	-
OSCODA	109	*	*	*	*	0	-	0	0	-
OTSEGO	397	*	*	0	-	*	*	*	0	-
OTTAWA	3,081	57	1.9	41	1.3	16	0.5	*	*	*
PRESQUE ISLE	97	*	*	*	*	0	-	0	0	-
ROSCOMMON	176	0	-	0	-	0	-	0	0	-
SAGINAW	3,470	92	2.7	67	1.9	25	0.7	*	*	*
SAINT CLAIR	2,941	152	5.2	123	4.2	29	1.0	22	7	0.2
SAINT JOSEPH	1,052	67	6.4	53	5.0	14	1.3	8	6	0.6
SANILAC	356	10	2.8	8	2.2	*	*	*	0	-
SCHOOLCRAFT	84	*	*	*	*	0	-	0	0	-
SHIAWASSEE	1,451	49	3.4	30	2.1	19	1.3	*	*	*
TUSCOLA	902	17	1.9	8	0.9	9	1.0	9	0	-
VAN BUREN	966	42	4.3	26	2.7	16	1.7	16	0	-
WASHTENAW	3,207	32	1.0	15	0.5	17	0.5	*	*	*
WAYNE (excluding Detroit)	19,857	425	2.1	205	1.0	220	1.1	198	22	0.1
Detroit	23,662	2,073	8.8	683	2.9	1,390	5.9	1,252	138	0.6
WEXFORD	356	7	2.0	*	*	*	*	*	*	*
MICHIGAN	157,892	5,724	3.6	2,792	1.8	2,932	1.9	2,614	318	0.2

* Includes tests where the type of sample was not reported

‡ Suppression of non-zero counts less than six (6), and complementary suppression of values greater than 6 so that suppressed values cannot be calculated

- Percentage for zero counts

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48001	179	*	*	*	*	*	*	*	0	-
48002	29	*	*	*	*	0	-	0	0	-
48003	64	0	-	0	-	0	-	0	0	-
48004	2	0	-	0	-	0	-	0	0	-
48005	42	0	-	0	-	0	-	0	0	-
48006	38	*	*	*	*	0	-	0	0	-
48009	355	0	-	0	-	0	-	0	0	-
48014	58	*	*	*	*	0	-	0	0	-
48015	127	*	*	0	-	*	*	*	0	-
48017	142	*	*	0	-	*	*	*	0	-
48019	1	0	-	0	-	0	-	0	0	-
48021	680	12	1.8	7	1.0	*	*	*	0	-
48022	24	*	*	*	*	*	*	*	0	-
48023	64	*	*	*	*	*	*	*	0	-
48024	4	0	-	0	-	0	-	0	0	-
48025	149	0	-	0	-	0	-	0	0	-
48026	184	*	*	*	*	0	-	0	0	-
48027	38	*	*	*	*	0	-	0	0	-
48028	9	0	-	0	-	0	-	0	0	-
48030	266	*	*	*	*	*	*	*	0	-
48031	2	0	-	0	-	0	-	0	0	-
48032	48	*	*	*	*	0	-	0	0	-
48033	330	*	*	*	*	*	*	*	0	-
48034	281	*	*	*	*	0	-	0	0	-
48035	520	*	*	0	-	*	*	*	*	*
48036	345	*	*	0	-	*	*	*	0	-
48037	10	0	-	0	-	0	-	0	0	-
48038	493	*	*	*	*	*	*	*	*	*
48039	100	*	*	*	*	0	-	0	0	-
48040	132	0	-	0	-	0	-	0	0	-
48041	57	0	-	0	-	0	-	0	0	-
48042	305	0	-	0	-	0	-	0	0	-
48043	228	8	3.5	*	*	*	*	*	0	-
48044	624	*	*	*	*	0	-	0	0	-
48045	247	0	-	0	-	0	-	0	0	-
48046	4	0	-	0	-	0	-	0	0	-
48047	509	6	1.2	*	*	*	*	*	*	*
48048	135	*	*	*	*	0	-	0	0	-
48049	52	*	*	*	*	0	-	0	0	-
48050	7	0	-	0	-	0	-	0	0	-
48051	228	*	*	*	*	*	*	*	0	-
48054	64	0	-	0	-	0	-	0	0	-
48057	1	0	-	0	-	0	-	0	0	-
48059	229	*	*	*	*	0	-	0	0	-
48060	1,367	110	8.0	88	6.4	22	1.6	15	7	0.5
48061	7	0	-	0	-	0	-	0	0	-
48062	96	*	*	*	*	*	*	*	0	-
48063	45	*	*	*	*	*	*	*	0	-
48064	41	0	-	0	-	0	-	0	0	-
48065	88	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48066	770	*	*	*	*	0	-	0	0	-
48067	346	*	*	*	*	0	-	0	0	-
48068	2	0	-	0	-	0	-	0	0	-
48069	40	0	-	0	-	0	-	0	0	-
48070	85	*	*	*	*	0	-	0	0	-
48071	445	*	*	*	*	0	-	0	0	-
48072	219	*	*	0	-	*	*	*	0	-
48073	441	*	*	0	-	*	*	*	0	-
48074	174	7	4.0	*	*	*	*	*	0	-
48075	439	*	*	*	*	0	-	0	0	-
48076	447	*	*	*	*	*	*	*	0	-
48078	1	0	-	0	-	0	-	0	0	-
48079	134	*	*	*	*	0	-	0	0	-
48080	313	7	2.2	*	*	*	*	*	0	-
48081	238	*	*	*	*	*	*	*	0	-
48082	203	*	*	*	*	0	-	0	0	-
48083	271	*	*	*	*	*	*	*	0	-
48084	253	8	3.2	*	*	6	2.4	*	0	-
48085	227	*	*	*	*	*	*	*	0	-
48087	1	0	-	0	-	0	-	0	0	-
48088	271	*	*	*	*	*	*	*	0	-
48089	767	15	2.0	8	1.0	7	0.9	7	0	-
48090	3	0	-	0	-	0	-	0	0	-
48091	700	*	*	*	*	*	*	*	0	-
48092	425	*	*	0	-	*	*	*	0	-
48093	324	*	*	*	*	*	*	*	0	-
48094	150	*	*	*	*	0	-	0	0	-
48095	43	0	-	0	-	0	-	0	0	-
48096	26	0	-	0	-	0	-	0	0	-
48097	87	*	*	*	*	*	*	*	0	-
48098	179	0	-	0	-	0	-	0	0	-
48099	1	0	-	0	-	0	-	0	0	-
48101	397	*	*	*	*	*	*	*	0	-
48103	425	*	*	*	*	*	*	*	0	-
48104	168	*	*	0	-	*	*	*	0	-
48105	218	*	*	0	-	*	*	*	0	-
48106	1	0	-	0	-	0	-	0	0	-
48107	3	0	-	0	-	0	-	0	0	-
48108	289	0	-	0	-	0	-	0	0	-
48109	1	0	-	0	-	0	-	0	0	-
48111	557	7	1.3	*	*	*	*	*	*	*
48112	3	0	-	0	-	0	-	0	0	-
48113	1	0	-	0	-	0	-	0	0	-
48114	86	*	*	*	*	*	*	*	0	-
48116	110	*	*	*	*	*	*	*	0	-
48117	102	0	-	0	-	0	-	0	0	-
48118	85	*	*	0	-	*	*	*	0	-
48120	369	7	1.9	*	*	6	1.6	*	0	-
48121	3	0	-	0	-	0	-	0	0	-
48122	344	8	2.3	*	*	*	*	*	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48123	3	0	-	0	-	0	-	0	0	-
48124	461	7	1.5	*	*	*	*	*	0	-
48125	404	*	*	*	*	*	*	*	0	-
48126	1,494	28	1.9	*	*	23	1.5	*	*	*
48127	796	11	1.4	*	*	6	0.8	*	*	*
48128	161	0	-	0	-	0	-	0	0	-
48129	4	0	-	0	-	0	-	0	0	-
48130	91	0	-	0	-	0	-	0	0	-
48131	72	0	-	0	-	0	-	0	0	-
48133	50	*	*	*	*	0	-	0	0	-
48134	311	8	2.6	*	*	*	*	*	0	-
48135	330	*	*	*	*	*	*	*	0	-
48136	3	0	-	0	-	0	-	0	0	-
48137	32	0	-	0	-	0	-	0	0	-
48138	92	0	-	0	-	0	-	0	0	-
48140	25	0	-	0	-	0	-	0	0	-
48141	770	12	1.6	6	0.8	6	0.8	*	*	*
48143	1	0	-	0	-	0	-	0	0	-
48144	68	*	*	*	*	0	-	0	0	-
48145	27	0	-	0	-	0	-	0	0	-
48146	1,133	18	1.6	12	1.1	6	0.5	*	0	-
48149	1	0	-	0	-	0	-	0	0	-
48150	316	*	*	*	*	0	-	0	0	-
48152	368	*	*	*	*	*	*	*	0	-
48154	375	*	*	*	*	*	*	*	0	-
48157	13	0	-	0	-	0	-	0	0	-
48158	51	*	*	*	*	0	-	0	0	-
48159	20	0	-	0	-	0	-	0	0	-
48160	94	*	*	0	-	*	*	*	*	*
48161	298	9	3.0	*	*	7	2.3	*	*	*
48162	322	*	*	*	*	*	*	*	*	*
48164	79	0	-	0	-	0	-	0	0	-
48165	104	0	-	0	-	0	-	0	0	-
48166	128	0	-	0	-	0	-	0	0	-
48167	197	*	*	*	*	0	-	0	0	-
48168	115	*	*	*	*	*	*	*	0	-
48169	85	0	-	0	-	0	-	0	0	-
48170	218	0	-	0	-	0	-	0	0	-
48173	153	*	*	*	*	*	*	*	0	-
48174	616	8	1.3	6	1.0	*	*	*	0	-
48175	1	0	-	0	-	0	-	0	0	-
48176	121	0	-	0	-	0	-	0	0	-
48177	2	0	-	0	-	0	-	0	0	-
48178	276	*	*	*	*	*	*	*	0	-
48179	30	*	*	*	*	0	-	0	0	-
48180	1,524	20	1.3	13	0.9	7	0.5	*	*	*
48181	1	0	-	0	-	0	-	0	0	-
48182	161	*	*	0	-	*	*	*	*	*
48183	544	10	1.8	8	1.5	*	*	*	0	-
48184	295	*	*	*	*	*	*	*	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48185	876	11	1.3	6	0.7	*	*	*	0	-
48186	638	*	*	*	*	*	*	*	0	-
48187	542	9	1.7	*	*	7	1.3	7	0	-
48188	461	7	1.5	*	*	*	*	*	0	-
48189	93	0	-	0	-	0	-	0	0	-
48190	7	0	-	0	-	0	-	0	0	-
48191	26	0	-	0	-	0	-	0	0	-
48192	384	8	2.1	7	1.8	*	*	*	0	-
48193	253	*	*	*	*	*	*	*	*	*
48194	3	0	-	0	-	0	-	0	0	-
48195	506	9	1.8	8	1.6	*	*	*	0	-
48197	848	13	1.5	7	0.8	6	0.7	*	0	-
48198	695	8	1.2	*	*	*	*	*	0	-
48201	400	21	5.3	11	2.8	10	2.5	10	0	-
48202	448	73	16.3	30	6.7	43	9.6	*	*	*
48203	754	92	12.2	31	4.1	61	8.1	52	9	1.2
48204	833	126	15.1	39	4.7	87	10.4	78	9	1.1
48205	1,431	125	8.7	23	1.6	102	7.1	95	7	0.5
48206	686	153	22.3	64	9.3	89	13.0	74	15	2.2
48207	521	41	7.9	8	1.5	33	6.3	26	7	1.3
48208	276	30	10.9	8	2.9	22	8.0	22	0	-
48209	1,449	94	6.5	20	1.4	74	5.1	68	6	0.4
48210	1,548	148	9.6	28	1.8	120	7.8	106	14	0.9
48211	284	34	12.0	7	2.5	27	9.5	*	*	*
48212	1,731	168	9.7	55	3.2	113	6.5	107	6	0.3
48213	802	109	13.6	21	2.6	88	11.0	81	7	0.9
48214	571	94	16.5	16	2.8	78	13.7	68	10	1.8
48215	378	51	13.5	11	2.9	40	10.6	33	7	1.9
48216	129	8	6.2	*	*	*	*	*	0	-
48217	183	*	*	*	*	*	*	*	0	-
48218	268	10	3.7	*	*	6	2.2	*	*	*
48219	1,513	72	4.8	31	2.0	41	2.7	35	6	0.4
48220	307	*	*	*	*	*	*	*	0	-
48221	1,102	85	7.7	34	3.1	51	4.6	*	*	*
48222	2	*	*	0	-	*	*	*	0	-
48223	748	28	3.7	14	1.9	14	1.9	*	*	*
48224	1,550	101	6.5	31	2.0	70	4.5	62	8	0.5
48225	346	9	2.6	*	*	6	1.7	*	*	*
48226	49	*	*	*	*	0	-	0	0	-
48227	1,440	124	8.6	44	3.1	80	5.6	74	6	0.4
48228	2,362	118	5.0	53	2.2	65	2.8	57	8	0.3
48229	273	9	3.3	*	*	*	*	*	*	*
48230	204	15	7.4	12	5.9	*	*	*	0	-
48231	3	0	-	0	-	0	-	0	0	-
48232	2	0	-	0	-	0	-	0	0	-
48233	1	0	-	0	-	0	-	0	0	-
48234	1,247	87	7.0	41	3.3	46	3.7	*	*	*
48235	1,397	69	4.9	29	2.1	40	2.9	*	*	*
48236	338	12	3.6	8	2.4	*	*	*	0	-
48237	625	7	1.1	*	*	*	*	*	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48238	1,038	140	13.5	66	6.4	74	7.1	*	*	*
48239	757	10	1.3	6	0.8	*	*	*	0	-
48240	394	8	2.0	*	*	*	*	*	0	-
48241	1	0	-	0	-	0	-	0	0	-
48242	1	0	-	0	-	0	-	0	0	-
48244	2	0	-	0	-	0	-	0	0	-
48254	1	0	-	0	-	0	-	0	0	-
48266	2	0	-	0	-	0	-	0	0	-
48267	1	0	-	0	-	0	-	0	0	-
48269	2	0	-	0	-	0	-	0	0	-
48270	1	0	-	0	-	0	-	0	0	-
48277	3	0	-	0	-	0	-	0	0	-
48278	2	*	*	*	*	0	-	0	0	-
48288	2	0	-	0	-	0	-	0	0	-
48301	105	*	*	*	*	0	-	0	0	-
48302	114	0	-	0	-	0	-	0	0	-
48303	1	0	-	0	-	0	-	0	0	-
48304	160	*	*	*	*	*	*	*	0	-
48306	132	*	*	*	*	0	-	0	0	-
48307	336	*	*	*	*	*	*	*	0	-
48308	1	0	-	0	-	0	-	0	0	-
48309	182	0	-	0	-	0	-	0	0	-
48310	773	*	*	*	*	*	*	*	0	-
48312	444	*	*	*	*	*	*	*	0	-
48313	433	*	*	0	-	*	*	*	0	-
48314	262	*	*	*	*	0	-	0	0	-
48315	201	*	*	*	*	*	*	*	0	-
48316	193	0	-	0	-	0	-	0	0	-
48317	397	*	*	*	*	0	-	0	0	-
48320	52	0	-	0	-	0	-	0	0	-
48321	2	0	-	0	-	0	-	0	0	-
48322	312	*	*	*	*	0	-	0	0	-
48323	172	0	-	0	-	0	-	0	0	-
48324	148	0	-	0	-	0	-	0	0	-
48325	2	0	-	0	-	0	-	0	0	-
48326	258	8	3.1	*	*	*	*	*	*	*
48327	238	0	-	0	-	0	-	0	0	-
48328	347	*	*	*	*	*	*	*	0	-
48329	229	*	*	*	*	*	*	*	0	-
48331	225	*	*	0	-	*	*	*	0	-
48332	2	0	-	0	-	0	-	0	0	-
48333	4	0	-	0	-	0	-	0	0	-
48334	219	*	*	0	-	*	*	*	0	-
48335	538	26	4.8	7	1.3	19	3.5	*	*	*
48336	386	7	1.8	7	1.8	0	-	0	0	-
48337	1	0	-	0	-	0	-	0	0	-
48340	768	14	1.8	10	1.3	*	*	*	0	-
48341	355	16	4.5	*	*	11	3.1	11	0	-
48342	606	17	2.8	14	2.3	*	*	*	*	*
48343	2	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48346	246	*	*	0	-	*	*	*	0	-
48347	2	0	-	0	-	0	-	0	0	-
48348	288	*	*	*	*	0	-	0	0	-
48350	75	0	-	0	-	0	-	0	0	-
48351	2	0	-	0	-	0	-	0	0	-
48353	37	0	-	0	-	0	-	0	0	-
48355	1	0	-	0	-	0	-	0	0	-
48356	49	0	-	0	-	0	-	0	0	-
48357	57	0	-	0	-	0	-	0	0	-
48359	104	0	-	0	-	0	-	0	0	-
48360	115	*	*	*	*	0	-	0	0	-
48361	1	0	-	0	-	0	-	0	0	-
48362	142	*	*	*	*	0	-	0	0	-
48363	48	*	*	*	*	0	-	0	0	-
48365	1	0	-	0	-	0	-	0	0	-
48367	23	0	-	0	-	0	-	0	0	-
48370	12	0	-	0	-	0	-	0	0	-
48371	198	0	-	0	-	0	-	0	0	-
48374	177	*	*	0	-	*	*	*	0	-
48375	271	*	*	*	*	*	*	*	0	-
48376	3	0	-	0	-	0	-	0	0	-
48377	239	8	3.3	*	*	*	*	*	*	*
48380	45	0	-	0	-	0	-	0	0	-
48381	124	0	-	0	-	0	-	0	0	-
48382	233	*	*	*	*	0	-	0	0	-
48383	156	0	-	0	-	0	-	0	0	-
48384	1	0	-	0	-	0	-	0	0	-
48386	169	*	*	*	*	*	*	*	0	-
48390	298	*	*	*	*	0	-	0	0	-
48393	261	*	*	*	*	0	-	0	0	-
48401	6	0	-	0	-	0	-	0	0	-
48403	1	0	-	0	-	0	-	0	0	-
48411	5	*	*	0	-	*	*	*	0	-
48412	58	*	*	*	*	0	-	0	0	-
48413	114	*	*	*	*	*	*	*	0	-
48414	46	0	-	0	-	0	-	0	0	-
48415	112	*	*	0	-	*	*	*	0	-
48416	40	*	*	*	*	0	-	0	0	-
48417	43	*	*	*	*	0	-	0	0	-
48418	53	*	*	0	-	*	*	*	0	-
48419	21	0	-	0	-	0	-	0	0	-
48420	337	*	*	0	-	*	*	*	0	-
48421	79	0	-	0	-	0	-	0	0	-
48422	52	*	*	*	*	*	*	*	0	-
48423	515	*	*	*	*	*	*	*	0	-
48424	1	0	-	0	-	0	-	0	0	-
48426	10	0	-	0	-	0	-	0	0	-
48427	17	0	-	0	-	0	-	0	0	-
48428	30	*	*	*	*	*	*	*	0	-
48429	144	*	*	*	*	*	*	*	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48430	429	*	*	*	*	*	*	*	0	-
48431	1	0	-	0	-	0	-	0	0	-
48432	15	0	-	0	-	0	-	0	0	-
48433	407	*	*	*	*	*	*	*	0	-
48435	25	*	*	0	-	*	*	*	0	-
48436	42	0	-	0	-	0	-	0	0	-
48437	2	0	-	0	-	0	-	0	0	-
48438	70	0	-	0	-	0	-	0	0	-
48439	746	6	0.8	*	*	*	*	*	0	-
48440	2	0	-	0	-	0	-	0	0	-
48441	48	0	-	0	-	0	-	0	0	-
48442	235	*	*	*	*	*	*	*	0	-
48444	134	*	*	*	*	*	*	*	*	*
48445	25	0	-	0	-	0	-	0	0	-
48446	378	15	4.0	13	3.4	*	*	*	0	-
48449	71	0	-	0	-	0	-	0	0	-
48450	28	0	-	0	-	0	-	0	0	-
48451	137	*	*	*	*	*	*	*	0	-
48452	1	0	-	0	-	0	-	0	0	-
48453	62	*	*	0	-	*	*	*	0	-
48454	8	0	-	0	-	0	-	0	0	-
48455	73	*	*	*	*	*	*	*	0	-
48456	9	0	-	0	-	0	-	0	0	-
48457	137	0	-	0	-	0	-	0	0	-
48458	567	*	*	*	*	*	*	*	0	-
48460	33	0	-	0	-	0	-	0	0	-
48461	119	*	*	*	*	0	-	0	0	-
48462	126	0	-	0	-	0	-	0	0	-
48463	55	0	-	0	-	0	-	0	0	-
48464	23	*	*	*	*	*	*	*	0	-
48465	4	*	*	*	*	0	-	0	0	-
48466	15	*	*	*	*	0	-	0	0	-
48467	26	0	-	0	-	0	-	0	0	-
48468	5	0	-	0	-	0	-	0	0	-
48469	7	0	-	0	-	0	-	0	0	-
48470	5	0	-	0	-	0	-	0	0	-
48471	49	*	*	*	*	0	-	0	0	-
48472	14	*	*	*	*	0	-	0	0	-
48473	296	*	*	*	*	0	-	0	0	-
48475	17	0	-	0	-	0	-	0	0	-
48476	9	0	-	0	-	0	-	0	0	-
48501	10	*	*	*	*	0	-	0	0	-
48502	52	*	*	0	-	*	*	*	0	-
48503	1,241	49	3.9	8	0.6	41	3.3	29	12	1.0
48504	1,384	37	2.7	7	0.5	30	2.2	*	*	*
48505	1,282	39	3.0	11	0.9	28	2.2	*	*	*
48506	1,201	26	2.2	9	0.7	17	1.4	*	*	*
48507	1,471	18	1.2	7	0.5	11	0.7	*	*	*
48508	1	0	-	0	-	0	-	0	0	-
48509	157	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48512	1	0	-	0	-	0	-	0	0	-
48519	170	*	*	*	*	0	-	0	0	-
48523	1	0	-	0	-	0	-	0	0	-
48529	371	7	1.9	6	1.6	*	*	*	0	-
48531	4	0	-	0	-	0	-	0	0	-
48532	723	6	0.8	*	*	*	*	*	0	-
48534	1	0	-	0	-	0	-	0	0	-
48539	1	0	-	0	-	0	-	0	0	-
48601	1,080	33	3.1	23	2.1	10	0.9	*	*	*
48602	731	42	5.7	30	4.1	12	1.6	12	0	-
48603	379	*	*	*	*	0	-	0	0	-
48604	173	*	*	*	*	0	-	0	0	-
48605	3	0	-	0	-	0	-	0	0	-
48607	33	*	*	0	-	*	*	*	*	*
48609	113	0	-	0	-	0	-	0	0	-
48610	57	*	*	*	*	0	-	0	0	-
48611	57	*	*	*	*	*	*	*	0	-
48612	108	*	*	*	*	0	-	0	0	-
48613	15	0	-	0	-	0	-	0	0	-
48614	12	0	-	0	-	0	-	0	0	-
48615	42	0	-	0	-	0	-	0	0	-
48616	115	*	*	*	*	0	-	0	0	-
48617	103	*	*	*	*	0	-	0	0	-
48618	36	0	-	0	-	0	-	0	0	-
48619	2	0	-	0	-	0	-	0	0	-
48621	15	*	*	*	*	0	-	0	0	-
48622	78	0	-	0	-	0	-	0	0	-
48623	134	0	-	0	-	0	-	0	0	-
48624	203	*	*	0	-	*	*	*	0	-
48625	170	*	*	*	*	*	*	*	0	-
48626	56	*	*	*	*	0	-	0	0	-
48627	1	0	-	0	-	0	-	0	0	-
48628	12	0	-	0	-	0	-	0	0	-
48629	64	0	-	0	-	0	-	0	0	-
48630	1	0	-	0	-	0	-	0	0	-
48631	62	0	-	0	-	0	-	0	0	-
48632	40	*	*	*	*	0	-	0	0	-
48633	3	*	*	0	-	*	*	*	0	-
48634	34	0	-	0	-	0	-	0	0	-
48635	11	0	-	0	-	0	-	0	0	-
48636	12	0	-	0	-	0	-	0	0	-
48637	37	*	*	*	*	0	-	0	0	-
48638	199	*	*	*	*	0	-	0	0	-
48640	191	*	*	0	-	*	*	*	0	-
48641	1	0	-	0	-	0	-	0	0	-
48642	207	*	*	*	*	0	-	0	0	-
48647	70	*	*	*	*	0	-	0	0	-
48649	19	0	-	0	-	0	-	0	0	-
48650	94	0	-	0	-	0	-	0	0	-
48651	38	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48652	13	0	-	0	-	0	-	0	0	-
48653	50	0	-	0	-	0	-	0	0	-
48654	25	0	-	0	-	0	-	0	0	-
48655	85	*	*	*	*	0	-	0	0	-
48656	30	0	-	0	-	0	-	0	0	-
48657	41	0	-	0	-	0	-	0	0	-
48658	93	*	*	0	-	*	*	*	0	-
48659	64	*	*	*	*	0	-	0	0	-
48660	1	0	-	0	-	0	-	0	0	-
48661	124	*	*	*	*	0	-	0	0	-
48662	13	*	*	*	*	0	-	0	0	-
48701	20	0	-	0	-	0	-	0	0	-
48703	33	0	-	0	-	0	-	0	0	-
48705	3	0	-	0	-	0	-	0	0	-
48706	542	9	1.7	6	1.1	*	*	*	0	-
48707	1	0	-	0	-	0	-	0	0	-
48708	484	38	7.9	27	5.6	11	2.3	11	0	-
48720	12	*	*	*	*	0	-	0	0	-
48721	4	0	-	0	-	0	-	0	0	-
48722	44	*	*	*	*	0	-	0	0	-
48723	201	*	*	*	*	*	*	*	0	-
48724	5	0	-	0	-	0	-	0	0	-
48725	14	0	-	0	-	0	-	0	0	-
48726	101	*	*	0	-	*	*	*	0	-
48727	21	0	-	0	-	0	-	0	0	-
48728	3	0	-	0	-	0	-	0	0	-
48729	16	0	-	0	-	0	-	0	0	-
48730	34	*	*	*	*	0	-	0	0	-
48731	24	0	-	0	-	0	-	0	0	-
48732	166	*	*	0	-	*	*	*	0	-
48733	29	*	*	*	*	0	-	0	0	-
48734	72	0	-	0	-	0	-	0	0	-
48735	20	*	*	*	*	0	-	0	0	-
48737	8	0	-	0	-	0	-	0	0	-
48738	9	*	*	*	*	0	-	0	0	-
48739	30	*	*	*	*	*	*	*	0	-
48740	20	*	*	0	-	*	*	*	0	-
48741	37	0	-	0	-	0	-	0	0	-
48742	13	*	*	*	*	0	-	0	0	-
48744	97	*	*	*	*	0	-	0	0	-
48745	17	0	-	0	-	0	-	0	0	-
48746	126	*	*	0	-	*	*	*	0	-
48747	11	0	-	0	-	0	-	0	0	-
48748	16	*	*	*	*	0	-	0	0	-
48749	21	0	-	0	-	0	-	0	0	-
48750	114	*	*	*	*	*	*	*	*	*
48754	19	0	-	0	-	0	-	0	0	-
48755	31	*	*	0	-	*	*	*	0	-
48756	68	0	-	0	-	0	-	0	0	-
48757	46	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48758	1	0	-	0	-	0	-	0	0	-
48759	49	0	-	0	-	0	-	0	0	-
48760	19	*	*	*	*	0	-	0	0	-
48761	2	0	-	0	-	0	-	0	0	-
48762	15	0	-	0	-	0	-	0	0	-
48763	52	*	*	*	*	0	-	0	0	-
48764	1	0	-	0	-	0	-	0	0	-
48765	7	0	-	0	-	0	-	0	0	-
48766	28	0	-	0	-	0	-	0	0	-
48767	23	*	*	0	-	*	*	*	0	-
48768	181	*	*	*	*	*	*	*	0	-
48770	19	*	*	*	*	0	-	0	0	-
48801	174	*	*	*	*	0	-	0	0	-
48803	1	0	-	0	-	0	-	0	0	-
48804	3	0	-	0	-	0	-	0	0	-
48805	3	0	-	0	-	0	-	0	0	-
48806	19	*	*	*	*	0	-	0	0	-
48807	14	0	-	0	-	0	-	0	0	-
48808	59	0	-	0	-	0	-	0	0	-
48809	193	7	3.6	*	*	*	*	*	0	-
48811	46	*	*	*	*	0	-	0	0	-
48812	1	*	*	0	-	*	*	*	0	-
48813	221	*	*	0	-	*	*	*	0	-
48815	33	*	*	0	-	*	*	*	*	*
48816	1	0	-	0	-	0	-	0	0	-
48817	130	*	*	0	-	*	*	*	0	-
48818	36	0	-	0	-	0	-	0	0	-
48819	22	0	-	0	-	0	-	0	0	-
48820	121	0	-	0	-	0	-	0	0	-
48821	31	0	-	0	-	0	-	0	0	-
48822	16	0	-	0	-	0	-	0	0	-
48823	393	6	1.5	*	*	*	*	*	0	-
48824	2	0	-	0	-	0	-	0	0	-
48825	1	0	-	0	-	0	-	0	0	-
48827	150	*	*	*	*	0	-	0	0	-
48829	45	*	*	*	*	0	-	0	0	-
48830	1	0	-	0	-	0	-	0	0	-
48831	58	*	*	0	-	*	*	*	0	-
48832	13	0	-	0	-	0	-	0	0	-
48834	35	0	-	0	-	0	-	0	0	-
48835	22	0	-	0	-	0	-	0	0	-
48836	104	*	*	0	-	*	*	*	0	-
48837	140	*	*	0	-	*	*	*	0	-
48838	252	6	2.4	*	*	*	*	*	*	*
48840	123	0	-	0	-	0	-	0	0	-
48841	12	*	*	0	-	*	*	*	0	-
48842	250	*	*	*	*	*	*	*	0	-
48843	252	*	*	*	*	*	*	*	*	*
48845	19	0	-	0	-	0	-	0	0	-
48846	320	7	2.2	*	*	*	*	*	*	*

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48847	91	*	*	0	-	*	*	*	0	-
48848	89	*	*	0	-	*	*	*	0	-
48849	79	*	*	0	-	*	*	*	0	-
48850	53	*	*	0	-	*	*	*	0	-
48851	44	*	*	*	*	*	*	*	0	-
48853	11	0	-	0	-	0	-	0	0	-
48854	226	*	*	*	*	*	*	*	0	-
48855	79	*	*	*	*	0	-	0	0	-
48856	13	*	*	*	*	0	-	0	0	-
48857	41	*	*	*	*	0	-	0	0	-
48858	409	*	*	*	*	*	*	*	0	-
48860	34	*	*	*	*	0	-	0	0	-
48861	11	*	*	*	*	0	-	0	0	-
48862	2	0	-	0	-	0	-	0	0	-
48864	203	0	-	0	-	0	-	0	0	-
48865	34	*	*	*	*	0	-	0	0	-
48866	66	*	*	*	*	0	-	0	0	-
48867	742	37	5.0	26	3.5	11	1.5	*	*	*
48870	1	0	-	0	-	0	-	0	0	-
48871	17	0	-	0	-	0	-	0	0	-
48872	130	*	*	0	-	*	*	*	0	-
48873	8	0	-	0	-	0	-	0	0	-
48874	2	0	-	0	-	0	-	0	0	-
48875	116	*	*	0	-	*	*	*	*	*
48876	71	*	*	*	*	0	-	0	0	-
48877	20	0	-	0	-	0	-	0	0	-
48878	16	0	-	0	-	0	-	0	0	-
48879	185	0	-	0	-	0	-	0	0	-
48880	90	*	*	*	*	*	*	*	0	-
48881	69	*	*	0	-	*	*	*	0	-
48882	2	0	-	0	-	0	-	0	0	-
48883	76	*	*	*	*	0	-	0	0	-
48884	63	*	*	*	*	*	*	*	0	-
48885	16	0	-	0	-	0	-	0	0	-
48886	24	0	-	0	-	0	-	0	0	-
48888	91	0	-	0	-	0	-	0	0	-
48889	14	0	-	0	-	0	-	0	0	-
48890	33	*	*	0	-	*	*	*	0	-
48891	43	*	*	*	*	0	-	0	0	-
48892	66	0	-	0	-	0	-	0	0	-
48893	62	0	-	0	-	0	-	0	0	-
48894	29	0	-	0	-	0	-	0	0	-
48895	90	0	-	0	-	0	-	0	0	-
48896	2	0	-	0	-	0	-	0	0	-
48897	8	0	-	0	-	0	-	0	0	-
48901	1	0	-	0	-	0	-	0	0	-
48905	1	0	-	0	-	0	-	0	0	-
48906	670	19	2.8	12	1.8	7	1.0	*	*	*
48909	21	0	-	0	-	0	-	0	0	-
48910	790	21	2.7	6	0.8	15	1.9	*	*	*

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
48911	1,223	31	2.5	12	1.0	19	1.6	*	*	*
48912	321	22	6.9	9	2.8	13	4.0	13	0	-
48915	274	13	4.7	*	*	8	2.9	*	*	*
48917	399	16	4.0	*	*	11	2.8	*	*	*
48933	43	0	-	0	-	0	-	0	0	-
49001	501	40	8.0	28	5.6	12	2.4	*	*	*
49002	245	*	*	*	*	*	*	*	0	-
49003	4	*	*	*	*	0	-	0	0	-
49004	223	*	*	*	*	*	*	*	*	*
49006	326	*	*	*	*	0	-	0	0	-
49007	249	37	14.9	22	8.8	15	6.0	*	*	*
49008	224	*	*	*	*	*	*	*	*	*
49009	517	7	1.4	6	1.2	*	*	*	0	-
49010	343	12	3.5	6	1.7	6	1.7	*	*	*
49011	31	0	-	0	-	0	-	0	0	-
49012	39	*	*	*	*	0	-	0	0	-
49013	80	*	*	*	*	*	*	*	0	-
49014	418	34	8.1	10	2.4	24	5.7	*	*	*
49015	593	29	4.9	14	2.4	15	2.5	*	*	*
49016	7	0	-	0	-	0	-	0	0	-
49017	371	33	8.9	16	4.3	17	4.6	*	*	*
49019	3	0	-	0	-	0	-	0	0	-
49021	75	*	*	0	-	*	*	*	*	*
49022	822	36	4.4	23	2.8	13	1.6	*	*	*
49023	4	0	-	0	-	0	-	0	0	-
49024	383	*	*	*	*	*	*	*	0	-
49026	31	*	*	*	*	0	-	0	0	-
49028	99	*	*	*	*	0	-	0	0	-
49029	16	*	*	*	*	0	-	0	0	-
49030	36	0	-	0	-	0	-	0	0	-
49031	69	*	*	*	*	0	-	0	0	-
49032	37	0	-	0	-	0	-	0	0	-
49033	23	0	-	0	-	0	-	0	0	-
49034	34	0	-	0	-	0	-	0	0	-
49036	371	15	4.0	6	1.6	9	2.4	*	*	*
49037	701	37	5.3	16	2.3	21	3.0	21	0	-
49038	98	0	-	0	-	0	-	0	0	-
49040	23	*	*	*	*	0	-	0	0	-
49041	1	0	-	0	-	0	-	0	0	-
49042	88	*	*	*	*	*	*	*	*	*
49043	43	*	*	0	-	*	*	*	0	-
49045	97	*	*	*	*	0	-	0	0	-
49046	44	*	*	*	*	0	-	0	0	-
49047	299	18	6.0	11	3.7	7	2.3	*	*	*
49048	555	23	4.1	14	2.5	9	1.6	*	*	*
49050	20	0	-	0	-	0	-	0	0	-
49051	17	0	-	0	-	0	-	0	0	-
49052	7	0	-	0	-	0	-	0	0	-
49053	107	*	*	0	-	*	*	*	0	-
49055	79	*	*	*	*	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49056	90	6	6.7	*	*	*	*	*	0	-
49057	137	*	*	*	*	0	-	0	0	-
49058	148	*	*	*	*	*	*	*	0	-
49060	17	*	*	0	-	*	*	*	0	-
49061	20	*	*	*	*	0	-	0	0	-
49063	2	0	-	0	-	0	-	0	0	-
49064	52	*	*	*	*	*	*	*	0	-
49065	76	*	*	*	*	*	*	*	0	-
49066	11	*	*	*	*	0	-	0	0	-
49067	42	0	-	0	-	0	-	0	0	-
49068	183	7	3.8	*	*	6	3.3	*	0	-
49070	38	*	*	0	-	*	*	*	0	-
49071	82	0	-	0	-	0	-	0	0	-
49072	36	*	*	*	*	*	*	*	*	*
49073	48	*	*	*	*	*	*	*	*	*
49075	1	0	-	0	-	0	-	0	0	-
49076	42	*	*	0	-	*	*	*	0	-
49078	139	*	*	*	*	*	*	*	0	-
49079	140	*	*	0	-	*	*	*	0	-
49080	233	*	*	*	*	*	*	*	0	-
49081	2	0	-	0	-	0	-	0	0	-
49082	82	*	*	0	-	*	*	*	0	-
49083	71	*	*	*	*	0	-	0	0	-
49085	110	*	*	0	-	*	*	*	0	-
49087	45	0	-	0	-	0	-	0	0	-
49088	32	0	-	0	-	0	-	0	0	-
49089	26	*	*	*	*	*	*	*	0	-
49090	123	6	4.9	*	*	*	*	*	0	-
49091	347	24	6.9	21	6.1	*	*	*	*	*
49092	16	0	-	0	-	0	-	0	0	-
49093	377	30	8.0	22	5.8	8	2.1	*	*	*
49094	56	*	*	*	*	0	-	0	0	-
49095	16	*	*	0	-	*	*	*	0	-
49096	27	*	*	*	*	0	-	0	0	-
49097	118	*	*	*	*	0	-	0	0	-
49098	63	*	*	*	*	*	*	*	0	-
49099	95	*	*	*	*	0	-	0	0	-
49101	29	0	-	0	-	0	-	0	0	-
49102	12	0	-	0	-	0	-	0	0	-
49103	140	0	-	0	-	0	-	0	0	-
49106	30	*	*	0	-	*	*	*	0	-
49107	122	*	*	*	*	*	*	*	0	-
49111	46	0	-	0	-	0	-	0	0	-
49112	75	*	*	*	*	*	*	*	0	-
49113	22	0	-	0	-	0	-	0	0	-
49115	1	0	-	0	-	0	-	0	0	-
49117	25	0	-	0	-	0	-	0	0	-
49119	3	0	-	0	-	0	-	0	0	-
49120	579	24	4.1	10	1.7	14	2.4	*	*	*
49125	17	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49126	23	0	-	0	-	0	-	0	0	-
49127	72	*	*	*	*	0	-	0	0	-
49128	31	*	*	0	-	*	*	*	*	*
49130	17	0	-	0	-	0	-	0	0	-
49131	1	0	-	0	-	0	-	0	0	-
49154	1	0	-	0	-	0	-	0	0	-
49195	2	0	-	0	-	0	-	0	0	-
49201	734	39	5.3	24	3.3	15	2.0	*	*	*
49202	534	40	7.5	28	5.2	12	2.2	*	*	*
49203	946	105	11.1	62	6.6	43	4.5	*	*	*
49204	5	0	-	0	-	0	-	0	0	-
49205	1	0	-	0	-	0	-	0	0	-
49210	1	*	*	*	*	0	-	0	0	-
49220	38	0	-	0	-	0	-	0	0	-
49221	560	47	8.4	19	3.4	28	5.0	*	*	*
49224	273	29	10.6	14	5.1	15	5.5	*	*	*
49227	23	*	*	0	-	*	*	*	0	-
49228	58	0	-	0	-	0	-	0	0	-
49229	38	*	*	0	-	*	*	*	*	*
49230	105	*	*	*	*	0	-	0	0	-
49232	61	*	*	*	*	*	*	*	0	-
49233	28	*	*	*	*	0	-	0	0	-
49234	25	*	*	*	*	0	-	0	0	-
49235	26	*	*	*	*	*	*	*	0	-
49236	43	0	-	0	-	0	-	0	0	-
49237	45	*	*	*	*	*	*	*	0	-
49238	25	*	*	0	-	*	*	*	0	-
49239	1	0	-	0	-	0	-	0	0	-
49240	85	*	*	*	*	0	-	0	0	-
49241	30	*	*	*	*	0	-	0	0	-
49242	335	16	4.8	14	4.2	*	*	*	0	-
49245	58	*	*	*	*	*	*	*	0	-
49246	30	0	-	0	-	0	-	0	0	-
49247	102	8	7.8	0	-	8	7.8	*	*	*
49248	2	0	-	0	-	0	-	0	0	-
49249	42	*	*	0	-	*	*	*	0	-
49250	128	10	7.8	8	6.3	*	*	*	0	-
49251	100	*	*	0	-	*	*	*	0	-
49252	45	*	*	*	*	0	-	0	0	-
49253	37	*	*	*	*	*	*	*	0	-
49254	43	0	-	0	-	0	-	0	0	-
49255	26	*	*	*	*	0	-	0	0	-
49256	34	*	*	*	*	0	-	0	0	-
49258	6	0	-	0	-	0	-	0	0	-
49259	40	*	*	*	*	*	*	*	0	-
49261	7	*	*	*	*	*	*	*	0	-
49262	24	0	-	0	-	0	-	0	0	-
49263	2	0	-	0	-	0	-	0	0	-
49264	29	*	*	0	-	*	*	*	*	*
49265	38	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49266	54	*	*	*	*	*	*	*	0	-
49267	22	0	-	0	-	0	-	0	0	-
49268	13	*	*	0	-	*	*	*	0	-
49269	95	*	*	*	*	0	-	0	0	-
49270	56	*	*	0	-	*	*	*	0	-
49271	46	*	*	0	-	*	*	*	*	*
49272	37	*	*	*	*	0	-	0	0	-
49274	58	*	*	0	-	*	*	*	0	-
49276	4	*	*	*	*	*	*	*	0	-
49277	42	6	14.3	*	*	*	*	*	0	-
49279	9	*	*	0	-	*	*	*	0	-
49282	5	0	-	0	-	0	-	0	0	-
49283	44	*	*	*	*	0	-	0	0	-
49284	42	*	*	*	*	0	-	0	0	-
49285	71	*	*	*	*	0	-	0	0	-
49286	120	*	*	*	*	*	*	*	*	*
49287	13	*	*	0	-	*	*	*	0	-
49288	33	*	*	*	*	0	-	0	0	-
49289	4	*	*	0	-	*	*	*	0	-
49301	149	*	*	0	-	*	*	*	0	-
49302	53	*	*	*	*	0	-	0	0	-
49303	17	0	-	0	-	0	-	0	0	-
49304	46	*	*	*	*	0	-	0	0	-
49305	21	0	-	0	-	0	-	0	0	-
49306	48	0	-	0	-	0	-	0	0	-
49307	180	6	3.3	*	*	*	*	*	*	*
49309	12	0	-	0	-	0	-	0	0	-
49310	28	0	-	0	-	0	-	0	0	-
49312	2	0	-	0	-	0	-	0	0	-
49315	113	0	-	0	-	0	-	0	0	-
49316	152	*	*	0	-	*	*	*	0	-
49318	29	*	*	*	*	0	-	0	0	-
49319	177	*	*	*	*	0	-	0	0	-
49320	3	0	-	0	-	0	-	0	0	-
49321	276	6	2.2	*	*	*	*	*	0	-
49322	5	0	-	0	-	0	-	0	0	-
49323	50	0	-	0	-	0	-	0	0	-
49325	23	*	*	*	*	0	-	0	0	-
49326	36	0	-	0	-	0	-	0	0	-
49327	101	7	6.9	6	5.9	*	*	*	0	-
49328	44	0	-	0	-	0	-	0	0	-
49329	118	0	-	0	-	0	-	0	0	-
49330	99	*	*	*	*	0	-	0	0	-
49331	158	*	*	*	*	0	-	0	0	-
49332	18	0	-	0	-	0	-	0	0	-
49333	82	*	*	*	*	*	*	*	0	-
49336	34	*	*	*	*	0	-	0	0	-
49337	102	0	-	0	-	0	-	0	0	-
49338	18	0	-	0	-	0	-	0	0	-
49339	17	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49340	35	0	-	0	-	0	-	0	0	-
49341	250	6	2.4	*	*	*	*	*	0	-
49342	21	0	-	0	-	0	-	0	0	-
49343	46	0	-	0	-	0	-	0	0	-
49344	35	*	*	*	*	0	-	0	0	-
49345	197	9	4.6	8	4.1	*	*	*	0	-
49346	42	0	-	0	-	0	-	0	0	-
49347	19	0	-	0	-	0	-	0	0	-
49348	114	*	*	*	*	*	*	*	0	-
49349	91	*	*	0	-	*	*	*	0	-
49354	1	0	-	0	-	0	-	0	0	-
49357	1	0	-	0	-	0	-	0	0	-
49401	80	*	*	*	*	*	*	*	0	-
49402	11	*	*	*	*	0	-	0	0	-
49403	48	*	*	*	*	0	-	0	0	-
49404	114	*	*	*	*	0	-	0	0	-
49405	32	0	-	0	-	0	-	0	0	-
49406	3	0	-	0	-	0	-	0	0	-
49408	146	*	*	*	*	*	*	*	*	*
49410	36	*	*	*	*	0	-	0	0	-
49411	35	*	*	*	*	0	-	0	0	-
49412	105	*	*	0	-	*	*	*	0	-
49415	62	*	*	*	*	0	-	0	0	-
49416	2	0	-	0	-	0	-	0	0	-
49417	455	*	*	*	*	0	-	0	0	-
49418	248	*	*	*	*	0	-	0	0	-
49419	114	*	*	0	-	*	*	*	0	-
49420	164	7	4.3	7	4.3	0	-	0	0	-
49421	73	*	*	*	*	*	*	*	0	-
49423	731	26	3.6	17	2.3	9	1.2	9	0	-
49424	691	8	1.2	7	1.0	*	*	*	0	-
49425	42	0	-	0	-	0	-	0	0	-
49426	209	*	*	*	*	*	*	*	0	-
49428	168	*	*	0	-	*	*	*	0	-
49431	294	14	4.8	12	4.1	*	*	*	0	-
49434	2	0	-	0	-	0	-	0	0	-
49435	26	0	-	0	-	0	-	0	0	-
49436	29	0	-	0	-	0	-	0	0	-
49437	57	*	*	*	*	*	*	*	0	-
49440	9	0	-	0	-	0	-	0	0	-
49441	506	36	7.1	20	4.0	16	3.2	*	*	*
49442	801	73	9.1	38	4.7	35	4.4	29	6	0.7
49443	3	0	-	0	-	0	-	0	0	-
49444	519	27	5.2	17	3.3	10	1.9	*	*	*
49445	222	*	*	*	*	*	*	*	0	-
49446	31	0	-	0	-	0	-	0	0	-
49448	61	*	*	*	*	0	-	0	0	-
49449	24	*	*	0	-	*	*	*	0	-
49450	90	*	*	*	*	0	-	0	0	-
49451	78	*	*	*	*	*	*	*	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49452	31	0	-	0	-	0	-	0	0	-
49453	23	*	*	*	*	0	-	0	0	-
49454	86	*	*	*	*	0	-	0	0	-
49455	127	*	*	0	-	*	*	*	0	-
49456	243	*	*	*	*	*	*	*	*	*
49457	161	*	*	*	*	*	*	*	0	-
49459	16	*	*	*	*	0	-	0	0	-
49460	89	*	*	*	*	0	-	0	0	-
49461	92	*	*	*	*	*	*	*	0	-
49464	328	6	1.8	*	*	*	*	*	*	*
49481	1	0	-	0	-	0	-	0	0	-
49500	2	*	*	*	*	0	-	0	0	-
49501	3	0	-	0	-	0	-	0	0	-
49502	1	0	-	0	-	0	-	0	0	-
49503	885	92	10.4	56	6.3	36	4.1	*	*	*
49504	786	99	12.6	59	7.5	40	5.1	33	7	0.9
49505	586	42	7.2	26	4.4	16	2.7	16	0	-
49506	506	44	8.7	27	5.3	17	3.4	*	*	*
49507	1,349	207	15.3	133	9.9	74	5.5	63	11	0.8
49508	853	28	3.3	24	2.8	*	*	*	0	-
49509	679	21	3.1	18	2.7	*	*	*	*	*
49512	275	*	*	*	*	0	-	0	0	-
49513	1	0	-	0	-	0	-	0	0	-
49514	1	0	-	0	-	0	-	0	0	-
49515	2	0	-	0	-	0	-	0	0	-
49516	1	0	-	0	-	0	-	0	0	-
49518	2	0	-	0	-	0	-	0	0	-
49519	439	11	2.5	9	2.1	*	*	*	0	-
49525	264	*	*	*	*	*	*	*	0	-
49534	194	*	*	*	*	*	*	*	*	*
49544	165	*	*	*	*	*	*	*	0	-
49546	362	*	*	*	*	*	*	*	0	-
49548	710	14	2.0	11	1.5	*	*	*	0	-
49550	1	0	-	0	-	0	-	0	0	-
49601	191	*	*	*	*	*	*	*	*	*
49607	1	0	-	0	-	0	-	0	0	-
49611	9	*	*	*	*	0	-	0	0	-
49612	14	0	-	0	-	0	-	0	0	-
49613	7	0	-	0	-	0	-	0	0	-
49614	39	*	*	*	*	0	-	0	0	-
49615	53	0	-	0	-	0	-	0	0	-
49616	44	*	*	*	*	0	-	0	0	-
49617	46	*	*	*	*	*	*	*	0	-
49618	8	0	-	0	-	0	-	0	0	-
49619	18	0	-	0	-	0	-	0	0	-
49620	64	*	*	0	-	*	*	*	0	-
49621	28	0	-	0	-	0	-	0	0	-
49622	35	*	*	*	*	0	-	0	0	-
49623	11	0	-	0	-	0	-	0	0	-
49625	22	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49626	2	0	-	0	-	0	-	0	0	-
49627	1	0	-	0	-	0	-	0	0	-
49628	8	*	*	*	*	0	-	0	0	-
49629	16	0	-	0	-	0	-	0	0	-
49630	13	*	*	0	-	*	*	*	0	-
49631	83	*	*	*	*	*	*	*	0	-
49632	8	0	-	0	-	0	-	0	0	-
49633	66	*	*	*	*	0	-	0	0	-
49634	3	0	-	0	-	0	-	0	0	-
49635	38	0	-	0	-	0	-	0	0	-
49636	3	0	-	0	-	0	-	0	0	-
49637	51	0	-	0	-	0	-	0	0	-
49638	5	0	-	0	-	0	-	0	0	-
49639	24	*	*	*	*	0	-	0	0	-
49640	19	0	-	0	-	0	-	0	0	-
49642	6	0	-	0	-	0	-	0	0	-
49643	101	*	*	*	*	*	*	*	0	-
49644	12	0	-	0	-	0	-	0	0	-
49645	27	*	*	*	*	*	*	*	0	-
49646	106	*	*	*	*	*	*	*	0	-
49648	17	0	-	0	-	0	-	0	0	-
49649	112	*	*	*	*	0	-	0	0	-
49650	69	*	*	*	*	0	-	0	0	-
49651	64	0	-	0	-	0	-	0	0	-
49653	32	*	*	*	*	0	-	0	0	-
49654	3	0	-	0	-	0	-	0	0	-
49655	35	*	*	*	*	*	*	*	0	-
49656	15	0	-	0	-	0	-	0	0	-
49657	29	0	-	0	-	0	-	0	0	-
49659	115	*	*	*	*	0	-	0	0	-
49660	200	12	6.0	8	4.0	*	*	*	0	-
49663	52	*	*	0	-	*	*	*	0	-
49664	24	*	*	0	-	*	*	*	0	-
49665	54	*	*	0	-	*	*	*	0	-
49666	4	0	-	0	-	0	-	0	0	-
49667	5	0	-	0	-	0	-	0	0	-
49668	59	*	*	*	*	0	-	0	0	-
49670	20	*	*	*	*	0	-	0	0	-
49674	4	*	*	*	*	0	-	0	0	-
49675	4	0	-	0	-	0	-	0	0	-
49676	59	*	*	*	*	*	*	*	0	-
49677	110	0	-	0	-	0	-	0	0	-
49679	11	0	-	0	-	0	-	0	0	-
49680	30	0	-	0	-	0	-	0	0	-
49682	67	*	*	*	*	0	-	0	0	-
49683	28	*	*	*	*	0	-	0	0	-
49684	517	10	1.9	8	1.5	*	*	*	*	*
49685	169	*	*	*	*	0	-	0	0	-
49686	440	8	1.8	6	1.4	*	*	*	0	-
49688	32	*	*	*	*	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49689	14	0	-	0	-	0	-	0	0	-
49690	78	0	-	0	-	0	-	0	0	-
49696	47	0	-	0	-	0	-	0	0	-
49701	6	0	-	0	-	0	-	0	0	-
49705	9	0	-	0	-	0	-	0	0	-
49706	62	0	-	0	-	0	-	0	0	-
49707	271	*	*	*	*	*	*	*	*	*
49709	24	0	-	0	-	0	-	0	0	-
49710	2	0	-	0	-	0	-	0	0	-
49712	75	0	-	0	-	0	-	0	0	-
49713	15	0	-	0	-	0	-	0	0	-
49714	1	0	-	0	-	0	-	0	0	-
49715	28	*	*	0	-	*	*	*	0	-
49716	5	0	-	0	-	0	-	0	0	-
49718	5	0	-	0	-	0	-	0	0	-
49719	13	0	-	0	-	0	-	0	0	-
49720	106	0	-	0	-	0	-	0	0	-
49721	173	0	-	0	-	0	-	0	0	-
49722	3	0	-	0	-	0	-	0	0	-
49724	14	0	-	0	-	0	-	0	0	-
49725	1	0	-	0	-	0	-	0	0	-
49726	2	0	-	0	-	0	-	0	0	-
49727	123	*	*	*	*	0	-	0	0	-
49728	7	0	-	0	-	0	-	0	0	-
49729	18	0	-	0	-	0	-	0	0	-
49730	36	0	-	0	-	0	-	0	0	-
49733	19	0	-	0	-	0	-	0	0	-
49734	6	0	-	0	-	0	-	0	0	-
49735	313	*	*	0	-	*	*	*	0	-
49736	4	0	-	0	-	0	-	0	0	-
49738	117	*	*	*	*	0	-	0	0	-
49740	53	0	-	0	-	0	-	0	0	-
49743	1	0	-	0	-	0	-	0	0	-
49744	7	0	-	0	-	0	-	0	0	-
49745	14	*	*	*	*	0	-	0	0	-
49746	29	*	*	*	*	0	-	0	0	-
49747	13	0	-	0	-	0	-	0	0	-
49749	25	0	-	0	-	0	-	0	0	-
49751	30	0	-	0	-	0	-	0	0	-
49752	2	0	-	0	-	0	-	0	0	-
49753	23	0	-	0	-	0	-	0	0	-
49755	29	0	-	0	-	0	-	0	0	-
49756	35	0	-	0	-	0	-	0	0	-
49757	4	0	-	0	-	0	-	0	0	-
49759	10	0	-	0	-	0	-	0	0	-
49760	3	0	-	0	-	0	-	0	0	-
49762	5	0	-	0	-	0	-	0	0	-
49764	5	*	*	*	*	0	-	0	0	-
49765	38	0	-	0	-	0	-	0	0	-
49766	29	*	*	*	*	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49768	1	0	-	0	-	0	-	0	0	-
49769	24	*	*	0	-	*	*	*	0	-
49770	159	0	-	0	-	0	-	0	0	-
49774	17	*	*	*	*	*	*	*	0	-
49776	7	0	-	0	-	0	-	0	0	-
49777	7	0	-	0	-	0	-	0	0	-
49779	46	*	*	*	*	0	-	0	0	-
49780	14	0	-	0	-	0	-	0	0	-
49781	55	*	*	*	*	0	-	0	0	-
49782	1	0	-	0	-	0	-	0	0	-
49783	199	*	*	*	*	0	-	0	0	-
49788	58	*	*	*	*	*	*	*	0	-
49792	1	0	-	0	-	0	-	0	0	-
49795	34	0	-	0	-	0	-	0	0	-
49796	2	0	-	0	-	0	-	0	0	-
49799	23	0	-	0	-	0	-	0	0	-
49801	102	*	*	*	*	*	*	*	0	-
49802	70	0	-	0	-	0	-	0	0	-
49803	1	*	*	0	-	*	*	*	0	-
49805	9	0	-	0	-	0	-	0	0	-
49807	22	*	*	*	*	0	-	0	0	-
49808	1	0	-	0	-	0	-	0	0	-
49809	1	0	-	0	-	0	-	0	0	-
49810	1	*	*	*	*	0	-	0	0	-
49812	6	0	-	0	-	0	-	0	0	-
49814	10	0	-	0	-	0	-	0	0	-
49815	3	0	-	0	-	0	-	0	0	-
49816	6	0	-	0	-	0	-	0	0	-
49817	2	0	-	0	-	0	-	0	0	-
49818	6	0	-	0	-	0	-	0	0	-
49820	5	0	-	0	-	0	-	0	0	-
49821	9	0	-	0	-	0	-	0	0	-
49822	2	0	-	0	-	0	-	0	0	-
49825	3	0	-	0	-	0	-	0	0	-
49827	4	0	-	0	-	0	-	0	0	-
49829	257	10	3.9	6	2.3	*	*	*	0	-
49831	4	0	-	0	-	0	-	0	0	-
49833	1	0	-	0	-	0	-	0	0	-
49835	3	0	-	0	-	0	-	0	0	-
49836	5	0	-	0	-	0	-	0	0	-
49837	95	*	*	0	-	*	*	*	0	-
49838	2	0	-	0	-	0	-	0	0	-
49839	1	0	-	0	-	0	-	0	0	-
49840	8	0	-	0	-	0	-	0	0	-
49841	96	0	-	0	-	0	-	0	0	-
49845	1	0	-	0	-	0	-	0	0	-
49847	12	0	-	0	-	0	-	0	0	-
49848	2	0	-	0	-	0	-	0	0	-
49849	112	*	*	0	-	*	*	*	0	-
49852	1	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49853	8	0	-	0	-	0	-	0	0	-
49854	70	*	*	*	*	0	-	0	0	-
49855	229	*	*	*	*	*	*	*	0	-
49858	141	8	5.7	*	*	*	*	*	*	*
49861	4	0	-	0	-	0	-	0	0	-
49862	35	0	-	0	-	0	-	0	0	-
49866	49	*	*	0	-	*	*	*	0	-
49868	68	*	*	*	*	0	-	0	0	-
49870	33	*	*	0	-	*	*	*	0	-
49871	3	0	-	0	-	0	-	0	0	-
49872	4	0	-	0	-	0	-	0	0	-
49874	9	0	-	0	-	0	-	0	0	-
49876	10	0	-	0	-	0	-	0	0	-
49877	1	0	-	0	-	0	-	0	0	-
49878	24	*	*	*	*	0	-	0	0	-
49879	6	0	-	0	-	0	-	0	0	-
49880	5	0	-	0	-	0	-	0	0	-
49881	1	0	-	0	-	0	-	0	0	-
49884	8	0	-	0	-	0	-	0	0	-
49885	18	*	*	*	*	0	-	0	0	-
49886	7	0	-	0	-	0	-	0	0	-
49887	20	0	-	0	-	0	-	0	0	-
49891	4	0	-	0	-	0	-	0	0	-
49892	16	*	*	*	*	0	-	0	0	-
49893	10	0	-	0	-	0	-	0	0	-
49894	8	0	-	0	-	0	-	0	0	-
49895	4	0	-	0	-	0	-	0	0	-
49896	32	0	-	0	-	0	-	0	0	-
49901	4	0	-	0	-	0	-	0	0	-
49903	4	*	*	*	*	*	*	*	0	-
49905	41	*	*	*	*	0	-	0	0	-
49908	52	*	*	*	*	0	-	0	0	-
49910	2	0	-	0	-	0	-	0	0	-
49911	26	*	*	0	-	*	*	*	0	-
49912	5	0	-	0	-	0	-	0	0	-
49913	122	11	9.0	*	*	9	7.4	9	0	-
49915	12	0	-	0	-	0	-	0	0	-
49916	50	0	-	0	-	0	-	0	0	-
49917	5	0	-	0	-	0	-	0	0	-
49918	3	0	-	0	-	0	-	0	0	-
49920	22	0	-	0	-	0	-	0	0	-
49921	6	0	-	0	-	0	-	0	0	-
49922	17	*	*	*	*	0	-	0	0	-
49927	6	0	-	0	-	0	-	0	0	-
49930	132	*	*	*	*	*	*	*	0	-
49931	115	*	*	0	-	*	*	*	0	-
49934	11	0	-	0	-	0	-	0	0	-
49935	63	0	-	0	-	0	-	0	0	-
49938	114	6	5.3	*	*	*	*	*	*	*
49942	1	0	-	0	-	0	-	0	0	-

Table 2. Blood Lead Levels for Children under 6 Years of Age by Zip code, 2016, data suppressed*

Zip Code	All Blood Samples [†]			Capillary [†] Samples		Venous Samples				
	Tested	> 5 µg/dL		≥ 5 µg/dL		≥ 5 µg/dL		5-14 µg/dL	> 15 µg/dL	
		N	%	N	%	N	%	N	N	%
49945	34	*	*	0	-	*	*	*	0	-
49946	88	0	-	0	-	0	-	0	0	-
49947	1	0	-	0	-	0	-	0	0	-
49948	11	0	-	0	-	0	-	0	0	-
49950	16	0	-	0	-	0	-	0	0	-
49952	1	0	-	0	-	0	-	0	0	-
49953	22	*	*	0	-	*	*	*	0	-
49955	7	0	-	0	-	0	-	0	0	-
49958	12	0	-	0	-	0	-	0	0	-
49959	3	0	-	0	-	0	-	0	0	-
49960	1	0	-	0	-	0	-	0	0	-
49961	3	0	-	0	-	0	-	0	0	-
49962	2	0	-	0	-	0	-	0	0	-
49963	18	*	*	0	-	*	*	*	0	-
49965	3	0	-	0	-	0	-	0	0	-
49967	1	0	-	0	-	0	-	0	0	-
49968	29	0	-	0	-	0	-	0	0	-
49969	19	0	-	0	-	0	-	0	0	-
49971	1	0	-	0	-	0	-	0	0	-
MICHIGAN	157,819	5,719	3.6	2,789	1.8	2,930	1.9	2,612	318	0.2

* Suppression of non-zero counts less than six (6), and complementary suppression of values greater than 6 so that suppressed values cannot be calculated

- Percentage for zero counts

* Includes tests where the type of sample was not reported